



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR DEFOLIATION OF COTTON**

PERMIT NUMBER – PER93452

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 12 APRIL 2023 TO 31 AUGUST 2023

Permit Holder:

COTTON AUSTRALIA LTD
Suite 4.01, 247 Coward St
MASCOT NSW 2020

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

PROMOTE PLUS 900 GROWTH REGULATOR (APVMA No. 69487)

PLUS OTHER REGISTERED PRODUCTS

Containing: 900 g/L ETHEPHON as the only active constituent.

RESTRAINT:

DO NOT apply if **mean** day/night temperatures are expected to fall below 18°C.

DO NOT apply to weak or stressed plants.

DO NOT pre-condition with sodium chlorate before applying this product.

DO NOT apply to cotton if bolls have been killed by frost.

DO NOT apply if rain is expected within 8 hours of application.

DO NOT mix with hard (alkaline) water.

DO NOT apply before sufficient mature unopened bolls have developed to produce the desired yield.

Directions for Use:

Crop	Purpose	Rate
Cotton	Defoliation, acceleration of boll opening	1.6-2.4 L/ha
	Pre-conditioning of crop before a normal defoliation is to occur	1.04 L/ha
	Defoliation	400 mL-800 mL/ha

Critical Use Comments:

- Apply in accordance with registered label directions.
- Apply by ground or aerial boomspray.
- Use a minimum spray volume of 20 L/ha.
- Note that defoliation may be reduced under low temperature conditions.

Withholding Period:

Harvest: Do not harvest for 14 days after application.

Spray drift restraints:

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are surface temperature inversion conditions present at the application site during the time of application. These conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Jurisdiction:

NSW, NT, Qld, Vic & WA only.

Additional Conditions:

PER93452

Version 1

Page 2 of 3

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority